



Manufacturer & stockist: Stainless Steel Entire Range of Pipe Line Fittings & Flanges.



P.S. STEEL

**PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006**



+91-9819688259, +91-9899412628



p.s.steel999@gmail.com



Company Profile

P.S.STEEL is a premier supplier specializing in high-quality stainless steel products. Established in Delhi, India with the vision of providing unparalleled service and premium products, we have emerged as a trusted name in the stainless steel industry. Our commitment to excellence and customer satisfaction has made us a preferred partner for clients across various sectors.

Who are we: P.S.Steel is a leading provider of stainless steel solutions, offering an extensive range of products that cater to diverse industrial needs. Our commitment to delivering top-notch products and services has earned us a loyal customer base and a reputation for reliability.

Product Range:

- **Stainless Steel Pipes:** Our stainless steel pipes are designed to meet the rigorous demands of various industries. Available in multiple grades and specifications, our pipes ensure durability, resistance to corrosion, and superior performance in harsh environments. {Round Pipe, Square Pipe, Rectangular Pipe}
- **Stainless Steel Fittings:** We offer a comprehensive range of stainless steel fittings, including Elbows, Tees, Reducers, Nipples, Bend and more. Our fittings are manufactured to exacting standards, ensuring a perfect fit and reliable performance in piping systems.
- **Stainless Steel Flanges:** P.S.STEEL provides high-quality flanges that ensure robust and leak-proof joints. {Weld Neck Flange, Slip-On Flange, Socket Weld Flange, Lap Joint Flange, Threaded Flange, Blind Flange}
- **Stainless Steel Tubes:** Versatile and reliable tubes for a multitude of uses. (Schedule 5 to XXS Schedule)
- **Stainless Steel Valves:** Durable and efficient valves for controlling fluid and gas flow. (Ball Valve, Gate Valve, Globe Valve, Check Valve, Butterfly Valve, Needle Valve)
- **Mild Steel Pipe Fittings:** Besides our stainless steel offerings, we supply mild steel pipe fittings catering to various industrial applications. {ERW Pipe, Carbon Steel Pipe, GI Pipe, Jindal Steel Pipe, etc}

Industries We Serve:

Our products are designed to meet the rigorous demands of various industries, including:

- Chemical Processing
- Oil and Gas
- Food Processing
- Pharmaceutical
- Power Generation
- Water Treatment

Our Commitment: At P.S.Steel, quality is not just a promise; it is our way of life. We adhere to stringent quality control measures and employ state-of-the-art manufacturing processes to ensure our products are of the highest quality. Our dedicated team of professionals is always ready to provide expert advice and support, ensuring you receive the best solutions tailored to your specific needs.

Vision: to be the most trusted and preferred supplier of stainless steel products globally. We aim to achieve this through continuous innovation, exceptional customer service, and an unwavering commitment to quality.

Please do not hesitate to contact us if you have any questions or need more information. We look forward to partnering with you and contributing to the success of your projects.

Contact us:

**PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006**



+91-9819688259



p.s.steel999@gmail.com





FLANGES

We are engaged in manufacturing and exporting a wide range of Flanges that are available in variable sizes for applications in waterworks, petrochemicals, refineries, chemical industry, and construction works. Owing to its high quality, optimum performance, and less maintenance, our range of flanges is appreciated by our clients, and it's available in various material configurations stainless steel, carbon steel, alloy steel, nickel alloys, and copper alloys. Based on the sizes, dimensions, shapes, and lengths of these flanges, we can customize the products for our respected clients and the following material of Construction.

- Nickel Alloy
- Stainless Steel & Duplex Steel
- Carbon Steel
- Alloy Steel
- Copper & Brass
- Aluminium

TYPES

- PLATE BLANK FLANGE
- LAP JOINT FLANGE
- SCREWED FLANGE
- WELDNECK FLANGE
- SOCKETWELD FLANGE
- ORIFACE FLANGE
- BLIND FLANGE
- RTJ FLANGE
- LONG WELD NECK FLANGES
- THREADED FLANGE
- SLIP-ON
- DECK FLANGES
- SPECTACLE
- DRAWING FLANGES
- LARGE RINGS
- REDUCING FLANGES



Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760

Hastelloy Alloy : ASTM B564 Hastelloy B2, C276, C22

Incoloy Alloys : ASTM B564 Alloy 20, Alloy A286, Alloy 800H/800HT, Alloy 825

Inconel Alloys: ASTM B564, Alloy 600, Alloy 601, Alloy 625, Alloy 718, Alloy 725

Monel Alloys : ASTM B564, Monel 400, Monel k500

Stainless Steel : ASTM A182, F304, 304L, 304H, 316, 316L, 317, 317L, 321, 310, 347, 904L

Carbon Steel : ASTM A105, A694, F42, A350 LF2

Alloy Steel : ASTM A182 F1, F5, F9, F11, F22, F91

Size : ½" NB TO 72" NB

Class : 150#, 300#, 600#, 900#, 1500#, 2500#

Standard

ANSI Flanges : 150#, 300#, 600#, 900#, 1500#, 2500#

AWWA : Class 2B, 2D, 4E, SE, 6E

DIN : PN6, PN10, PN16, PN25, PN40

JIS : 5K, 10K

BS : Table D, E, F



**PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006**



+91-9819688259, +91-9899412628



BUTTWELD FITTINGS

We are engaged in manufacturing and exporting wide range of Butt Weld Fitting that is available in varied types & grades sourced from reliable vendors, these fittings are highly acknowledged for their high tensile strength, durability and accurate alloy composition. These find application in several industries such as oil & gas, automobile, acid & chemical, pharmaceutical and cement industries. We are known for our butt weld fittings.

TYPES OF BUTTWELD FITTINGS

- TEE (EQUAL / UNEQUAL)
- REDUCING TEE
- SHORT STUB BEND
- RETURN BENDS
- CAP
- ELBOW (1D/1.5D/3D/5D)
- LONG STUB BEND
- REDUCER (CONCENTRIC/ECCENTRIC)
- MITER BENDS

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760

Hastelloy Alloy : ASTM B366 Hastelloy B2, Hastelloy C276

Incoloy Alloy : ASTM B366 Alloy 20, Alloy 800H/800HT, Alloy 825, Alloy 286

Inconel Alloy : ASTM B366 Alloy 600, Alloy 601, Alloy 625, Alloy 718, Alloy 725

Monel Alloys : ASTM B366 Monel 400, Monel K500

Copper Brass : CuBi 90:10 & 70:30

Stainless Steel : ASTM A403, WP304, 304L, 304H, 316, 316L, 317, 317L, 321, 310, 347, 904L

Carbon Steel : ASTM A234 WPB, A420 WPL3, A420 WPL6, MSS-SP-75 WPHY 42/46/52

Alloy Steel : ASTM A234WP1, WP5, WP9, WP11, WP22

Size : 1/4" NB TO 24" NB (Seamless)
4" NB TO 72" NB (Welded)

Wall Thickness : Sch 5s To Sch.XXS



p.s.steel999@gmail.com



www.pssteel.co.in



**PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006**



+91-9819688259, +91-9899412628



FORGED FITTINGS

We offer our clients specially designed forged pipe fittings. We also do new projects for forged fittings according to the client's drawings and specifications. The product is delivered in a short time frame. We offer special forged pipe fittings in different metals that are found to be applicable in various industries. We can offer forged fittings in the following materials of construction: -

- Nickel Alloy & Copper Nickel Alloy
- Stainless Steel & Duplex Steel
- Carbon Steel & Alloy Steel

TYPES

Elbow, Tee, Union, Cross, Coup Bushing, Plug, Swage Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Sockolet, Thredolet, Nipolet, Letrolet etc

High Nickel : Monel, Nickel, Inconel, Hastelloy

Stainless Steel : ASTM A182, F304, 304L, 304H, 316, 316L, 317, 317L, 321, 310, 347, 904L

Carbon Steel : ASTM A105, A694, F42, A350 LF2

Alloy Steel : ASTM A182, F1, F5, F9, F11, F22, F91

Size : 1/4" NB TO 4" NB

Class : 2000#, 3000#, 6000#, 9000#



p.s.steel999@gmail.com



www.pssteel.co.in



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



+91-9819688259, +91-9899412628



FASTENERS

We hold expertise in offering fasteners, such as nuts, bolts, washers, anchor fasteners, stud bolts, Threaded Rod to clients. This material available in grade, such as Stainless Steel, Carbon Steel, Duplex Steel, Monel, Inconel, Hastelloy, Titanium and Nickel Alloy, Wich Alloy Steel assure their high tensile strength and corrosion resistance. Our range finds applications in numerous industries and is offered in sizes ranging from M4 TO M100, length up to 5

TYPES OF FASTENERS

- ANCHOR FASTENERS
- STUB BOLTS
- HEX HEAD BOLTS
- THREADED RODS
- SOCKET CAPS SCREW
- COUNTERSUNK BOLTS
- HEX NUTS
- FLAT/SPRING/LOCK WASHERS
- EYE BOLTS
- FOUNDATION BOLTS
- WASHERS
- REFRACTORY ANCHOR

Duplex & Super Duplex : 347, 310, 303, 304/304H, 316/316L, 317/317L, 17/4PH, 410, 431, Nitronic 50, Nitronic 60, Nitronic 80A

Carbon Steel : 4.6, 8.8, 10.9, 12.9

Duplex & Super Duplex : UNS S31803, UNS S32750, UNS S32760, UNS S3250, 254 SMO

Hastelloy Alloys : Hastelloy C4, Hastelloy B2, Hastelloy G30, Hastelloy B3, Hastelloy C276, Hastelloy X, Hastelloy C22

Incoloy Alloys : Incoloy Alloy 20, Incoloy Alloy 800, Incoloy Alloy 800H/800HT, Incoloy Alloy 825, Incoloy Alloy 925, Incoloy Alloy A286

Monel Alloys : Monel 400, Monel R405, Monel K500



p.s.steel999@gmail.com



www.pssteel.co.in



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



+91-9819688259, +91-9899412628



www.pssteel.co.in



INSTRUMENTATION

We hold special expertise in Instrumentation fittings such as single Ferrule, and double ferrule in tube & Pipe fittings, Manifold Valves, and accessories. Our Fittings find applications in Hydraulic Industries, Oil & Gas, Food & Beverages, Chemical Industries, etc. for their excellent quality and durability.

TYPES

Port Connectors Tube to Flare 37 Degree, Tube to Female Pipe Thread, Female Elbow, Male Connector, Male Elbow, Pipe Union, Reducing Adapter, Tube Union, Union Cross, Union Elbow, Union Tee, Ball Valve, Check Valve, Double Block & Bleed Valve, Gauge Valve, Manifold Valve, Mono Flange Valve, Needle Valve, Plug Valve, Pressure Relief Valve, Vent & Bleeder Valve Gauge Snubber, Air Header, Syphon, Condensate Pot.

Stainless Steel : A182 304, 304L, 304H, 316, 316H, 316Ti, 321, 347, 347H, 904L

Carbon Steel : A105

Alloy Steel : A182 F1, F11, F12, F22, F5, F9, F91, F92

Duplex Steel : A181 F51, F60, UNS S31803, UNS S2205

Super Duplex Steel : A182 F44, F53, F55, SMO 254, UNS S31254, UNS S32750, UNS32760

High Nickel Alloys : Nickel 200, 201, Monel K 400 & 500, Inconel 600, 601, 625, 800, 825, Hastelloy C276, Alloy 20

Non Ferrous : Copper Brass, Phosphor brass



p.s.steel999@gmail.com





www.pssteel.co.in



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



+91-9819688259, +91-9899412628



PIPES & TUBES

We are one of the most trusted stockists for offering the finest range of Stainless Steel, Duplex Steel, Carbon Steel & Alloy Steel Pipes. Used in different industries for diverse applications, these pipes can be available in standard as well as customized dimensions as per the requirements of the clients. These pipes are appreciated for their sturdy and precise construction. We are known for offering our product range at reasonable prices and delivering consignment given time frame.

TYPES

- Round
- Rectangle
- Square
- Hydraulic



Stainless Steel : ASTM/ASME SA 312 GR. TP 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316Ti, 316H, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L.

Duplex Steel : ASTM/ASME SA 790 UNS NO: 31803/32760.

Carbon Steel : ASTM/ASME A53 GR. A & B, ASTM A 106 GR. A, B & C, API 5L GR. B, API 5L X42, X46, X52, X60, X65 & X70. ASTM/ASME A691 GR. A, B & C.

Alloy Steel : ASTM/ASME A 335 GR P1, P5, P9, P11, P22, P23, P91.

Cupro Nickel : 70:30 & 90:10

Aluminum Alloys : 2014, 2024, 5052, 5083, 5086, 6061, 6063, 6082, 6351, 7075.

Nickel Alloy :

ASTM/ASME SB 161/8725/B730 UNS 2200 (NICKEL 200 & 201)
ASTM/ASME SB 165/B725/B730 UNS 2200 (MONEL 400 & 500)
ASTM/ASME SB 729/8464/B468 UNS 8020 (ALLOYED/20CB 3)
ASTM/ASME SB 423/8705/B704 UNS 8825 (INCONEL 825)
ASTM/ASME SB 167/B517/B516 UNS 6600 (INCONEL 600)
ASTM/ASME SB 444/8705/B704 UNS 6625 (INCONEL 625)
ASTM/ASME SB 622/8619/B522 UNS 10276 (HASTELLOY C276)



p.s.steel999@gmail.com




www.pssteel.co.in



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



+91-9819688259, +91-9899412628



SHEETS/PLATES/COILS

We have been offering to our clients a vast range of Sheets and Coils, that are offered in various specifications to our clients. Catering to the requirements of various industries, our range is known for its corrosion resistance, durability & high tensile strength.

Our clients can avail from us Plates that are manufactured using high grade stainless steel. These cater to the requirements of various industries and are known for their attributes, such as high tensile strength, corrosion resistance & long-life usage. Further, we also have the expertise to customize our range as per the requirements.



Stainless Steel: Plates as per ASTM A240, Gr. TP 304, 304L, 304LN, 309, 309S, 309H, 310H, 316, 316L, 316H, 316LN, 316Ti, 317, 317L, 321, 321H, 347, 347H, 409, 410, 420, 430 etc.

Nickel Alloy: ASTM/ASME SB 162 UNS 2200 (NICKEL 200), ASTM / ASME SB 162 UNS 2201 (NICKEL 201), ASTM/ASME SB 127 UNS 4400 (MONEL 400), ASTM/ASME SB 463 UNS 8020 (ALLOY 20/20 CB 3), ASTM /ASME SB 424 UNS 8825 (INCONEL 825), ASTM/ASME SB 168 UNS 6600 (INCONEL 600), ASTM/ASME SB 409 UNS 8810/8811 (INCONEL 800/800HT), ASTM/ASME SB 443 UNS 6625 (INCONEL 625), ASTM/ ASME SB 575 UNS 10276 (HASTELLOY C276)

Carbon Steel / Boiler-Quality Plates: As per IS 2062/ASTM A36, Gr A, B & C, IS 2002 Gr. 1 & 2 ASTM A516 Gr. 60 & 70

Alloy Steel Plates: As per ASTM A387 Gr. 2, 9, 11, 12 & 22 in class 1 & 2 ASTM A204 Gr A & B, DIN 17175 Gr. 15Mo3 & 16Mo3 WITH IBR Test Certificate.

Aluminum Alloys: 2014, 2024, 5052, 5083, 5086, 6061, 6063, 6082, 6351, 7075

Range: 0.5 mm to 200 mm thick in 1000 mm to 3000 mm width & 2500 mm to 12500 mm Length available with NACE MR 01-75



p.s.steel999@gmail.com



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



www.pssteel.co.in



+91-9819688259, +91-9899412628


AISI ASTM	C MAX	MN MAX	P MAX	S MAX	SI MAX	Cr	Ni	MO	Other Element		
201	0.15	5.50/7.50	0.06	0.030	1.0	16.0/18.0	3.6/5.5	-	N-25 Max	10Cr- 17Mn6Ni4	-
202	0.15	7.50/10.0	0.06	0.030	1.0	17.0/19.0	4.0/6.0	-	N-25Max	-	-
301	0.15	2.0 Max	0.045	0.040	1.0	16.0/18.0	6.0/8.0	-	-	10Cr1Ni17	-
302	0.15	2.0	0.045	0.030	1.0	17.0/19.0	8.0/10.0	-	-	07Cr18No19	En-58a
303	0.15	2.0	0.045	-	1.0	17.0/19.0	8.0/10.0	-	-	15Cr18Ni19	En-58M
304	0.08	2.0	0.045	0.030	1.0	18.0/20.0	8.0/10.0	-	-	04Cr18Ni10	En58E
304L	0.030	2.0	0.045	0.030	1.0	18.0/20.0	8.0/10.0	-	-	02Cr18Ni11	-
308	0.08	2.0	0.045	0.030	1.0	10.0/21.0	10.0/12.0	-	-	-	-
309	0.20	2.0 Max	0.045	0.030	1.0	22.0/24.0	12.0/15.0	-	-	20Cr24Ni12	-
309S	0.08	2.0	0.045	0.030	1.0	22.0/24.0	12.0/15.0	-	-	-	-
310	0.25	2.0	0.045	0.030	1.50	24.0/26.0	19.0/22.0	-	-	10Cr25Ni12	-
310S	0.08	2.0	0.045	0.030	1.50	24.0/26.0	19.0/22.0	-	-	-	-
314	0.25	2.0	0.045	0.030	1.5 to 3	25.0/26.0	19.0/22.0	-	-	-	-
316	0.08	2.0	0.045	0.030	1.0	16.0/18.0	10.0/14.0	2.0/3.0	-	04Cr17Ni12Mo2	En58H
316L	0.030	2.0	0.045	0.030	1.0	16.0/18.0	10.0/14.0	2.0/3.0	-	0cCr17Ni12Mo2	-
317	0.08	2.0	0.045	0.030	1.0	18.0/20.0	11.0/15.0	3.0/4.0	-	-	-
317L	0.030	2.0	0.045	0.030	1.0	18.0/20.0	11.0/15.0	3.0/4.0	-	Tiy5cmin	-
316Ti	0.080	2.0	0.045	0.030	1.0	16/18.0	10.0/14.0	2.0/3.0	Ti5xCmin	-	-
321	0.08	2.0	0.045	0.030	1.0	17.0/19.0	9.0/12.0	-	To5xCmin	04Cr18Ni10Ti20	En-58C
430	0.12	1.00	0.040	0.030	0.75	14.0/18.0	0.60	-	-	07Cr17	En-60
446	0.20	1.50 Max	0.040	0.030	1.0	23.0/27.0	0.60 Max	-	N-25 Max	-	-
403	0.15	1.00	0.040	.030	.50	11.5/13.0	0.60	-	-	-	-
410	0.15	1.00	0.040	0.030	1.00	11.5/13.5	0.60	-	-	12Cr13-	En-58A
410S	0.08	1.0	0.040	0.030	1.0	11.5/13.5	0.60 Max	-	-	-	-
414	0.15	1.0 Max	0.040	0.030	1.0	11.5/13.5	1.25/2.50	-	-	-	-
420	Over 0.15	1.00	0.040	0.030	1.00	12.0/14.0	0.60	-	-	12Cr13-	En-56C&D
431	0.20	1.0 Max	0.040	0.30	1.0	15.0/17.0	1.25/2.50	0.75 Max	-	15Cr16Ni2	En-57
440A	0.60/0.70	1.0	0.040	0.030	1.0	16/18	-	-	-	-	-
440B	0.75	1.0	0.040	0.030	1.0	16.0/18.0	-	0.75 Max	-	-	-
-	0.95	-	-	-	-	-	-	-	-	-	-
440C	0.95	1.0	0.040	0.030	1.0	16/18	0.75 Max	-	-	-	-
-	1.2	-	-	-	-	-	-	-	-	-	-
446	0.20	1.50	0.40	0.30	1.0	23.0/210	-	-	-	No.25 Max	-

WEIGHT & THICKNESS OF S.S PIPE & TUBES BOILERS, HEAT EXCHANGERS


Size	O.D.	10G Wt per Ft.	12G wt per Ft.	14G Wt per Ft	16G Wt per Ft	18G Wt per Ft	20G Wt per Ft	22G Wt per Ft
1/3"	6.35	0.075	0.070	0.065	0.058	0.046	0.037	0.030
5/16"	7.93	0.114	0.105	0.089	0.079	0.060	0.048	0.038
3/8"	9.52	0.152	0.135	0.113	0.097	0.080	0.058	0.046
1/2"	12.7	0.226	0.200	0.157	0.134	0.105	0.079	0.063
3/4"	19.05	0.386	0.326	0.256	0.215	0.161	0.124	0.097
1	25.4	0.541	0.450	0.351	0.294	0.218	0.167	0.131
1 1/4"	31.82	0.696	0.580	0.448	0.375	0.275	0.200	-
1 1/2"	38.1	0.851	0.700	0.542	0.452	0.332	-	-
1 3/4"	44.45	1.020	0.832	0.646	0.530	0.390	-	-
2	50.8	1.161	0.960	0.733	0.607	0.447	-	-
2 1/4"	57.15	1.315	1.085	0.828	0.687	0.504	-	-
2 1/2"	63.5	1.472	1.210	0.924	0.792	0.562	-	-
2 3/4"	69.85	1.630	1.338	1.022	0.847	0.619	-	-
3"	76.2	1.782	1.460	1.115	0.924	0.676	-	-
3 1/2"	88.9	2.092	1.718	1.306	1.082	0.791	-	-
4"	101.6	2.403	1.971	1.497	1.239	0.905	-	-
4 1/2"	114.3	2.713	2.224	1.608	1.397	1.020	-	-
5"	127.0	3.023	2.477	1.879	1.554	1.134	-	-
5 1/2"	139.7	3.336	2.730	2.070	1.713	1.250	-	-
6"	152.4	3.654	2.983	2.261	1.857	1.364	-	-
6 1/2"	165.1	3.975	3.256	2.452	2.028	1.478	-	-

WEIGHT & WALL THICKNESS OF SCHEDULE PIPES


Nominal Bore	Outside diameter	SCHEDULE 5		SCHEDULE 10		SCHEDULE 40		SCHEDULE 80		SCHEDULE 160		XX80		XXS	
MM	MM	WT	Weight KG/M	WT	Weight KG/M	WT	Weight KG/M	WT	Weight KG/M	WT	Weight KG/M	WT	Weight KG/M	WT	Weight KG/M
3	10.3	-	-	1.24	0.278	1.73	0.365	2.41	0.469	-	-	2.41	0.469	-	-
6	13.7	-	-	1.65	0.491	2.24	0.633	3.02	0.497	-	-	3.02	0.797	-	-
10	17.2	-	-	1.65	0.631	2.31	0.845	3.20	1.10	-	-	3.20	1.10	-	-
15	21.3	1.65	0.801	2.11	0.999	2.77	1.27	3.75	1.62	4.75	1.94	3.73	1.62	7.47	2.55
20	26.7	1.65	1.02	2.11	1.28	2.87	1.68	3.91	2.20	5.54	2.89	3.91	2.20	7.82	3.63
25	33.4	1.65	1.29	2.77	2.09	3.38	2.50	4.55	3.24	6.35	4.24	4.55	3.24	9.09	5.45
32	42.2	1.65	1.65	2.77	2.69	3.56	3.38	4.85	4.46	6.35	5.61	4.85	4.46	9.70	7.75
40	48.3	1.65	1.90	2.77	3.11	3.68	4.05	5.08	5.41	7.14	7.25	5.08	5.41	10.16	9.54
50	60.3	1.65	3.34	2.77	3.92	3.91	5.44	5.54	7.48	9.41	11.1	5.54	2.28	11.07	13.44
65	73.0	2.11	3.69	3.05	5.26	5.16	8.63	7.01	11.4	9.53	14.9	7.01	11.4	14.2	20.39
80	88.9	2.11	4.51	3.05	6.45	5.49	11.3	7.62	15.3	11.1	21.3	7.62	15.3	15.24	27.65
90	101.6	2.11	5.18	3.05	7.41	5.74	13.6	8.08	18.6	-	-	8.08	18.6	-	-
100	114.3	2.11	5.94	3.05	8.38	6.02	16.1	8.56	22.3	13.8	33.6	8.56	22.3	17.12	40.99
125	141.3	2.77	9.34	3.40	11.6	6.55	21.8	9.53	31.0	-	49.2	9.53	31.0	17.12	57.37
150	168.3	2.77	11.3	3.40	13.8	7.11	29.1	11.0	42.7	18.2	67.8	11.0	42.7	21.95	79.11
200	219.1	2.77	14.8	3.76	20.0	8.18	42.8	12.7	64.6	23.0	111.2	12.7	64.6	22.23	107.8
250	273.0	3.40	22.6	4.19	27.8	8.74	62.3	15.1	96.0	28.6	172.4	15.1	96.0	25.4	155.5
300	323.8	3.96	32.0	4.57	36.17	9.52	72.8	17.45	132.0	33.32	240.0	17.45	132.0	-	-
350	355.6	3.96	34.5	4.78	41.6	11.13	94.49	19.05	158.08	35.71	283.26	19.05	158.08	-	-
400	406.4	4.19	41.78	4.78	47.6	12.7	124.0	21.41	204.4	40.46	367.14	21.41	204.4	-	-
450	457.2	4.19	47.06	4.78	53.625	14.27	156.73	23.8	255.77	45.71	466.4	23.8	255.77	-	-
500	508.0	4.78	59.65	5.54	69.0	15.06	184.08	26.19	312.9	49.99	567.75	26.19	321.9	-	-
600	609.6	5.54	82.98	6.35	94.98	17.45	256.22	30.34	435.8	54.52	811.86	23.34	435.8	-	-



SLIP-ON



BLIND




SCREWED

N.B. Size	Table	Dia.of Flange A	Bore of Slip-on B	Thickness of Flange C	Pitch Circle Holes D	Dia.of Bolt Holes E	No. of Bolts
1/2	D	3 3/4	0.88	3/16	2 5/8	9/16	4
	E	3 3/4	0.88	1/4	2 5/8	9/16	4
	F	3 3/4	0.88	3/8	2 5/8	9/16	4
	H	4 1/2	0.88	1/2	3 1/4	11/16	4
3/4	D	4	1.09	3/16	2 7/8	9/16	4
	E	4	1.09	1/4	2 7/8	9/16	4
	F	4	1.09	3/8	2 7/8	9/16	4
	H	4 1/2	1.09	1/2	3 1/4	11/16	4
1	D	4 1/2	1.36	3/16	3 1/4	9/16	4
	E	4 1/2	1.36	9/32	3 1/4	9/16	4
	F	4 3/4	1.36	3/8	3 7/16	11/16	4
	H	4 3/4	1.36	9/16	3 7/16	11/16	4
1 1/4	D	4 3/4	1.70	1/4	3 7/16	9/16	4
	E	4 3/4	1.70	5/16	3 7/16	9/16	4
	F	5 1/4	1.70	1/2	3 7/8	11/16	4
	H	5 1/4	1.70	11/16	3 7/8	11/16	4
1 1/2	D	5 1/4	1.95	1/4	3 7/8	9/16	4
	E	5 1/4	1.95	11/32	3 7/8	9/16	4
	F	5 1/2	1.95	1/2	4 1/8	11/16	4
	H	5 1/2	1.95	11/16	4 1/8	11/16	4
2	D	6	2.44	5/16	4 1/2	11/16	4
	E	6	2.44	3/8	4 1/2	11/16	4
	F	6 1/2	2.44	5/8	5	11/16	4
	H	6 1/2	2.44	3/4	5	11/16	4
2 1/2	D	6 1/2	2.94	5/16	5	11/16	4
	E	6 1/2	2.94	13/32	5	11/16	4
	F	7 1/4	2.94	5/8	5 3/4	11/16	8
	H	7 1/4	2.94	3/4	5 3/4	11/16	8
3	D	7 1/4	3.57	3/8	5 3/4	11/16	4
	E	7 1/4	3.57	7/16	5 3/4	11/16	4
	F	8	3.57	5/8	6 1/2	11/16	8
	H	8	3.57	7/8	6 1/2	11/16	8
3 1/2	D	8	4.07	3/8	6 1/2	11/16	4
	E	8	4.07	15/32	6 1/2	11/16	8
	F	8 1/2	4.07	3/4	7	11/16	8
	H	8 1/2	4.07	7/8	7	11/16	8
4	D	8 1/2	4.57	3/8	7	11/16	4
	E	8 1/2	4.57	1/2	7	11/16	8
	F	9	4.57	3/4	7 1/2	11/16	8
	H	9	4.57	1	7 1/2	11/16	8
5	D	10	5.66	1/2	8 1/4	11/16	8
	E	10	5.66	9/16	8 1/4	11/16	8
	F	11	5.66	7/8	9 1/4	7/8	8
	H	11	5.66	1. 1/8	9 1/4	7/8	8

N.B. Size	Table	Dia.of Flange A	Bore of Slip-on B	Thickness of Flange C	Pitch Circle Holes D	Dia.of Bolt Holes E	No. of Bolts
6	D	11	6.72	1/2	9 1/4	11/16	8
	E	11	6.72	11/16	9 1/4	7/8	8
	F	12	6.72	7/8	10 1/4	7/8	12
	H	12	6.72	1 1/8	10 1/4	7/8	12
8	D	13 1/4	8.72	1/2	11 1/2	11/16	8
	E	13 1/4	8.72	3/4	11 1/2	7/8	8
	F	14 1/4	8.72	1	12 3/4	7/8	12
	H	14 1/4	8.72	1 1/4	12 3/4	7/8	12
10	D	16	10.88	5/8	14	7/8	8
	E	16	10.88	7/8	14	7/8	12
	F	17	10.88	1 1/8	15	1	12
	H	17	10.88	1 3/8	15	1	12
12	D	18	12.88	3/4	16	7/8	12
	E	18	12.88	1	16	1	12
	F	19 1/4	12.88	1 1/4	17 1/4	1	16
	H	19 1/4	12.88	1 5/8	17 1/4	1	16
14	D	20 3/4	14.14	7/8	18 1/2	1	12
	E	20 3/4	14.14	1 1/8	18 1/2	1	12
	F	21 3/4	14.14	1 3/4	19 1/2	1 1/8	16
	H	21 3/4	14.14	1 7/8	19 1/2	1 1/8	16
16	D	22 3/4	16.16	7/8	20 1/2	1	12
	E	22 3/4	16.16	1 1/4	20 1/2	1	12
	F	24	16.16	1 5/8	21 3/4	1 1/8	20
	H	26 1/2	16.16	2 3/4	24	1 1/4	20
18	D	25 1/4	18.18	1	23	1	12
	E	25 1/4	18.18	1 3/8	23	1	16
	F	26 1/2	18.18	1 3/4	24	1 1/4	20
	H	26 1/2	18.18	2 3/8	24	1 1/4	20
20	D	27 3/4	20.20	1 1/8	25 1/4	1	12
	E	27 3/4	20.20	1 1/2	25 1/4	1	16
	F	29	20.20	2	26 1/2	1 1/4	24
	H	29	20.20	2 5/8	26 1/2	1 1/4	24
22	D	30	22.22	1 1/8	27 1/2	1 1/8	16
	E	30	22.22	1 3/4	27 1/2	1 1/8	16
	F	31	22.22	2 1/8	27 1/2	1 1/4	24
	H	31	22.22	2 3/8	27 1/2	1 1/4	24
24	D	32 1/2	24.25	1 1/4	27 1/2	1 1/8	16
	E	32 1/2	24.25	1 7/8	27 1/2	1 1/4	16
	F	33 1/2	24.25	2 1/4	27 1/2	1 3/8	24
	H	33 1/2	24.25	3	27 1/2	1 3/8	24





BS1560 (ANSI 16.5) Class 150 Flanges

NB	A	B	C	D	E	F	G	H	J	Wt	L	M	N	O	P	R	T	No.of Holes
15	89	11.1	1.6	35	16	30	22.4	9.5	21.3	0.4	48	16	16	23.0	60.3	3.0	15.9	4
20	98	12.7	1.6	43	16	38	27.7	11.0	26.7	0.7	52	16	16	28.0	69.8	3.0	15.9	4
25	108	14.3	1.6	51	17	39	34.5	12.5	33.4	0.8	56	17	17	35.0	79.4	3.0	15.9	4
32	117	15.9	1.6	64	21	59	43.2	14.5	42.2	1.2	57	21	21	43.5	88.9	5.0	15.9	4
40	127	17.5	1.6	73	22	65	49.5	16.0	48.3	1.4	62	22	22	50.0	98.4	6.5	15.9	4
50	152	19.0	1.6	92	25	78	62.0	17.5	60.3	2.2	64	25	25	62.5	120.6	8.0	19.0	4
65	178	22.2	1.6	105	29	90	74.7	19.0	73.0	3.5	70	29	29	75.5	139.7	8.0	19.0	4
80	190	23.8	1.6	127	30	108	90.7	20.5	88.9	4.1	70	30	30	91.5	152.4	9.5	19.0	4
90	216	23.8	1.6	140	32	122	103.4	-	101.6	5.2	71	32	32	104.0	177.8	9.5	19.0	8
100	229	23.8	1.6	157	33	135	116.1	-	114.3	5.6	76	33	33	117.0	190.5	11.0	19.0	8
125	254	23.8	1.6	186	37	164	143.8	-	141.3	6.3	89	37	37	145.0	215.9	11.0	22.2	8
150	279	25.4	1.6	216	40	192	170.7	-	168.3	7.8	89	40	40	171.0	241.3	12.5	22.2	8
200	343	28.6	1.6	270	44	246	221.5	-	219.1	12.6	102	44	44	222.0	298.3	12.5	22.2	8
250	406	30.2	1.6	324	49	305	276.4	-	273.0	18	102	49	49	277.0	362.0	12.5	25.4	12
300	483	31.8	1.6	381	56	365	327.2	-	323.9	27.5	114	56	56	328.0	431.8	12.5	25.4	12
350	533	34.9	1.6	413	57	400	359.2	-	355.6	37	127	57	79	360.0	476.2	12.5	28.6	12
400	597	36.5	1.6	470	64	457	410.5	-	406.4	46	127	64	87	411.0	539.8	12.5	28.6	16
450	635	39.7	1.6	533	68	505	461.8	-	457.2	54	140	68	97	462.0	577.8	12.5	31.8	16
500	698	42.9	1.6	584	73	559	513.1	-	508.0	72	144	73	103	514.0	635.0	12.5	31.8	20
600	813	47.6	1.6	692	83	664	616.0	-	609.6	95	152	83	111	616.0	749.3	12.5	34.9	20

BS1560 (ANSI 16.5) Class 300 Flanges

NB	A	B	C	D	E	F	G	H	J	Wt	L	M	N	O	P	R	T	No.of Holes
15	95	14.3	1.6	35	22	38	22.4	9.5	21.3	0.7	52	16	22	23.0	66.7	3.0	15.9	4
20	117	15.9	1.6	43	25	48	27.7	11.0	26.7	1.2	57	16	25	28.0	82.6	3.0	15.9	4
25	124	17.5	1.6	51	27	54	34.5	12.5	33.4	1.4	62	17	27	35.0	88.9	3.0	15.9	4
32	133	19.0	1.6	64	27	64	43.2	14.5	42.2	1.8	65	21	27	43.5	98.4	5.0	15.9	4
40	156	20.6	1.6	73	30	70	49.5	16.0	48.3	2.7	68	22	30	50.0	114.3	6.5	15.9	4
50	165	22.2	1.6	92	33	84	62.0	17.5	60.3	3.2	70	25	33	62.5	127.0	8.0	19.0	8
65	190	25.4	1.6	105	38	100	74.7	19.0	73.0	4.5	76	29	38	75.5	149.2	8.0	19.0	8
80	210	28.6	1.6	127	43	117	90.7	20.5	88.9	6.1	79	30	43	91.5	168.3	9.5	19.0	8
90	229	30.2	1.6	140	44	133	103.4	-	101.6	7.5	81	32	44	104.0	184.2	9.5	19.0	8
100	254	31.8	1.6	157	48	146	116.1	-	114.3	10	86	33	48	117.0	200.0	11.0	19.0	8
125	279	34.9	1.6	186	51	178	143.8	-	141.3	12.5	98	37	51	145.0	235.0	11.0	22.2	8
150	318	36.5	1.6	216	52	206	170.7	-	168.3	16.2	98	40	52	171.0	269.9	12.5	22.2	12
200	381	41.3	1.6	270	62	260	221.5	-	219.1	25	111	44	62	222.0	330.2	12.5	22.2	12
250	444	47.6	1.6	324	67	321	276.4	-	273.0	35	117	49	95	277.0	387.4	12.5	25.4	16
300	521	50.8	1.6	381	73	375	327.2	-	323.9	50	130	56	102	328.0	450.8	12.5	25.4	16
350	584	54.0	1.6	413	76	425	359.2	-	355.6	72	143	57	111	360.0	514.5	12.5	28.6	20
400	648	57.2	1.6	470	83	483	410.5	-	406.4	90	146	64	121	411.0	571.5	12.5	28.6	20
450	711	60.3	1.6	533	89	533	461.8	-	457.2	115	159	68	130	462.0	628.6	12.5	31.8	24
500	775	63.5	1.6	584	95	587	513.1	-	508.0	137	162	73	140	514.0	685.8	12.5	31.8	24
600	914	69.8	1.6	692	106	702	616.0	-	609.6	210	168	83	152	616.0	812.8	12.5	34.9	2




PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



+91-9819688259, +91-9899412628



p.steel999@gmail.com



NOM	PIPE	WALL THICKNESS				RADIUS				R							L				
BORE inch	O. D.	5 S	10 S	40 S	80 S	1 D	1.5 D	2 D	3 D	A	B	C	E	G		LONG	H	D	H		
1/2	21.34	1.65	2.11	2.77	3.73	12.7	19.06	25.4	38.1	12.7	15.9	25.4	25.4	34.9	50.8	76.2	50.8	42	8		
3/4	26.67	1.65	2.11	2.87	3.91	19.05	28.57	38.10	57.15	19.05	11.1	28.6	25.4	42.8	50.8	76.2	50.8	52	8		
1	33.40	1.65	2.77	3.38	4.55	25.4	38.1	50.8	76.2	25.4	22.2	38.1	38.1	50.8	50.8	101.6	50.8	62	10		
1 1/4	42.16	1.65	2.77	3.56	4.85	31.75	47.6	63.5	95.25	31.75	25.0	47.6	38.1	63.5	50.8	101.6	50.8	72	12		
1 1/2	48.26	1.65	2.77	3.68	5.08	38.1	57.15	76.2	114.3	38.10	28.6	57.2	38.1	73.0	50.8	101.6	63.5	82	12		
2	60.32	1.65	2.77	3.91	5.54	50.8	76.2	101.6	152.4	50.8	34.0	63.5	38.1	92.0	63.5	152.4	76.2	98	16		
2 1/2	73.02	2.11	3.05	5.16	7.01	63.5	95.25	127.0	190.5	63.5	44.0	76.2	38.1	104.8	63.5	152.4	88.9	118	16		
3	88.90	2.11	3.05	5.49	7.62	76.2	114.30	152.4	228.6	76.2	50.8	85.7	50.8	127.0	63.5	152.4	88.9	130	18		
3 1/2	101.60	2.11	3.05	5.74	8.08	88.9	133.35	177.8	266.7	88.9	57.2	95.3	63.5	139.7	76.2	152.4	101.6	140	18		
4	114.30	2.11	3.05	6.02	8.56	101.6	152.4	203.2	304.8	101.6	63.5	104.8	63.5	157.2	76.2	152.4	101.6	168	20		
5	141.30	2.77	3.40	6.55	9.52	127.0	190.5	254.0	381.0	127.0	82.6	123.8	76.2	185.7	76.2	203.2	127.0	188	25		
6	168.27	2.77	3.40	7.11	10.97	152.4	228.6	304.8	457.2	152.4	95.3	142.7	88.9	215.9	88.9	203.2	139.7	215	25		
8	219.07	2.77	3.76	8.18	12.7	203.2	304.8	406.4	609.6	203.2	127.0	177.5	101.6	270.0	101.6	203.2	152.4	270	30		
10	273.5	3.40	4.19	9.27	12.7	254.0	381.0	508.0	762.0	254.0	158.7	215.9	127.0	324.0	127.0	254.0	177.8	330	35		
12	323.85	3.96	4.57	9.52	12.7	304.8	457.2	609.6	914.4	304.8	190.5	254.0	152.4	381.0	152.4	254.0	203.2	400	40		
14	355.60	3.96	4.76	9.52	12.7	355.6	533.4	711.2	1066	355.6	222.2	280.0	165.1	412.8	152.4	305.0	330.2	-	-		
16	406.40	4.19	4.76	9.52	12.7	406.4	609.6	812.8	1219	406.4	254.0	304.0	177.8	470.0	152.4	305.0	355.6	-	-		
18	457.20	4.19	4.76	9.52	12.7	457.2	685.8	914.4	1372	457.2	285.7	343.0	203.2	533.4	152.4	305.0	381.0	-	-		
20	508.00	4.76	5.54	9.52	12.7	508.0	762.0	1016	1524	508.0	317.6	381.0	228.6	584.2	152.4	305.0	508.0	-	-		
24	609.60	5.54	6.35	9.52	12.7	609.6	914.4	1219	1829	-	381.0	431.8	266.7	698.5	152.4	305.0	508.0	-	-		

STANDARDS: All dimensions are in mm and confirm to ANSI B 16.9 and MSS SP-43

RADIUS: The Radius of Short Radius Elbows is 1 times the nominal pipe diameter. The radius of long-radius elbows is 1-1/2 times the Regional Pipe Diameter

MATERIAL: S.S. 304/304L/316/316L/321 Carbon Steel and Alloy Steel.



**PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006**



+91-9819688259, +91-9899412628



p.steel999@gmail.com

WEIGHT PER SHEET

U.S.A/GROSS BRITAINNE

U.S.A/GRANDE BRETAGNE

U.S.A/GROSS BRITAINNE

in kg/per sheet

in kg/m2

in kg/per sheet

in kg/m2

Thickness in mm	Sizes in mm			Thickness in mm	Weight kg/m2	Thickness in mm	Sizes in mm			Thickness in mm	Weight kg/m2
	2000x1000	2500x1250	3000x1500				2000x1000	2500x1250	3000x1500		
0.18	2.88	-	-	0.18	1.44	1.75	28.00	43.75	63.00	1.75	14.00
0.20	3.20	-	-	0.20	1.60	2.00	32.00	50.00	72.00	2.00	16.00
0.22	3.52	-	-	0.22	1.76	2.25	36.00	56.25	81.00	2.25	10.00
0.24	3.84	-	-	0.24	1.92	2.50	40.00	62.50	90.00	2.50	20.00
0.27	4.32	-	-	0.27	2.16	2.75	44.00	68.75	99.00	2.75	22.00
0.28	4.48	-	-	0.28	2.24	3.00	48.00	75.00	108.00	3.00	24.00
0.32	5.12	-	-	0.32	2.50	3.25	52.00	81.25	117.00	3.25	26.00
0.38	6.08	-	-	0.38	3.04	3.50	56.00	87.50	126.00	3.50	28.00
0.44	7.04	-	-	0.44	3.52	3.75	60.00	93.75	135.00	3.75	30.00
0.50	8.00	12.50	-	0.50	4.00	4.00	64.00	100.00	144.00	4.00	32.00
0.56	8.96	14.00	-	0.56	4.43	4.25	68.00	106.25	153.00	4.25	34.00
0.63	10.08	15.75	-	0.63	5.04	4.50	72.00	112.50	162.00	4.50	36.00
0.75	12.00	18.75	-	0.75	6.00	5.00	80.00	125.50	180.00	5.00	40.00
0.88	14.08	22.00	-	0.88	7.04	5.50	88.00	137.50	198.00	5.50	44.00
1.00	16.00	25.00	-	1.00	8.00	6.00	96.00	150.00	216.00	6.00	48.00
1.13	18.08	28.25	-	1.13	9.04	6.50	104.00	162.50	234.00	6.50	52.00
1.25	20.00	31.25	-	1.25	10.00	7.00	112.00	175.00	252.00	7.00	56.00
1.38	22.08	37.50	-	1.38	11.04	7.50	120.00	187.50	270.00	7.50	60.00
1.50	24.00	37.50	54.00	1.50	12.00	8.00	128.00	200.00	288.00	8.00	64.00

WEIGHT IN FLAT BARS

PER METER IN KG

HIGH-SPEED STEEL APP 10%+

Size mm	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Size mm
4	0.31	0.47	0.63	0.79	0.94	1.10	1.26	1.41	1.57	1.73	1.88	2.04	2.20	2.36	2.51	2.67	2.83	2.98	3.14	4
5	0.39	0.59	0.79	0.98	1.81	1.37	1.57	1.77	1.96	2.16	2.36	2.55	2.75	2.94	3.14	3.34	3.53	3.73	3.93	5
6	0.47	0.71	0.94	1.18	1.41	1.65	1.88	2.12	2.36	2.59	2.83	3.06	3.30	3.53	3.77	4.00	4.24	4.48	4.71	6
7	0.55	0.82	1.10	1.37	1.65	1.92	2.20	2.47	2.75	3.02	3.30	3.57	3.85	4.12	4.40	4.67	4.95	5.22	5.50	7
8	0.63	0.94	1.26	1.57	1.88	2.20	2.51	2.83	3.14	3.45	3.77	4.08	4.40	4.71	5.02	5.34	5.65	5.97	6.28	8
9	0.71	1.06	1.41	1.77	2.12	2.47	2.83	3.18	3.53	3.89	4.24	4.59	4.95	5.30	5.65	6.01	6.36	6.71	7.07	9
10	0.79	1.18	1.57	1.96	2.36	2.75	3.14	3.53	3.93	4.32	4.71	5.10	5.50	5.89	6.28	6.67	7.07	7.46	7.85	10
11	0.86	1.30	1.73	2.16	2.59	3.02	3.45	3.89	4.32	4.75	5.18	5.61	6.05	6.48	6.91	7.34	7.77	8.20	8.64	11
12	0.94	1.41	1.88	2.36	2.83	3.30	3.77	4.24	4.71	5.18	5.65	6.12	6.59	7.07	7.54	8.01	8.48	8.95	9.42	12



SPECIAL FORMULA

1. WEIGHT OF STAINLESS-STEEL SHEET PLATE

Length x Width x Thickness x.000008 = Weight in Kg.

2. WEIGHT OF STAINLESS-STEEL PIPES & TUBES (IN KG)

OD - Thick x Thick. 00756 = Weight Per ft.

3. WEIGHT OF STAINLESS-STEEL ROUND (IN KG)

Diameter x Diameter x .0019 = Weight Per ft.

4. WEIGHT OF STAINLESS-STEEL HEX (IN KG)

Diameter x Diameter x .0021 = Weight Per ft.

5. WEIGHT OF STAINLESS-STEEL SQUARE (IN KG)

Diameter x Diameter x .0025 = Weight Per ft.

6. WEIGHT OF STAINLESS-STEEL CIRCLE (IN KG)

Diameter x Diameter x thickness 160000 W.P. Nos

7. WEIGHT OF STAINLESS-STEEL FLAT (IN KG)

Width x Thickness x.0024 = Weight Per ft.

8. WEIGHT OF STAINLESS-STEEL MATERIAL ÷ 3 = ALUMINIUM MATERIAL

9. WEIGHT OF STAINLESS-STEEL MATERIAL X 9% = BRASS MATERIAL

10. WEIGHT OF STAINLESS-STEEL MATERIAL X 12% = COPPER MATERIAL

11. MAKING OF PIPE FROM SHEET OR PLATE

OD Thick. 3.14 = Width of Sheet or Plate

12. 1 MTR = 3.2828 FT.

1 FL = 304.8 MM

1 INCH = 25.4 MM

1 ACRE = 4047 M2

1 BARREL = 159 LITRES

1 UK GAL = 4.55 LITRES

1 US GAL = 3.78 LITRES

1 KG/CM2 = 14.22 LB/IN²

1 TON = 1016 KG.

1 CUFT = 35.4 M3



p.s.steel999@gmail.com



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



www.pssteel.co.in



+91-9819688259, +91-9899412628



APPLICATION INDUSTRIES

- Chemical Industries
- Paper & Pulp Mills
- Sugar Industries
- Atomic Energy
- Water Piping System
- Beverage Industries
- Food Industries
- Engineering / Shipyard
- Pharmacy Industries
- Oil & Gas Industries
- Textile Industries
- Nuclear Energy/Thermal
- Cement Industries
- Refinery / Petrochemical



p.s.steel999@gmail.com



www.pssteel.co.in



PS Steel SHOP NO. 58, FIRST FLOOR,
RAGHUSHREE MARKET, AJMERI GATE
Delhi 110006



+91-9819688259, +91-9899412628

